


**AMENDMENTS TO THE CLAIMS:**


This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Original) A compound of the formula (Ia)




formula (Ia)



formula (Ib)

in which

the residues V, W, X and Z are in each case, independently of each other, a hydrocarbon residue which can contain heteroatoms and/or V, W and/or X is/are hydrogen, characterized in that at least one of the residues V, W, X and/or Z carries a binding group Y and in that the residues V, W, X and Z together exhibit at least one group of the formula (II)



formula (II)

in which

P is, on each occasion independently, H, OH, O-R<sub>2</sub>

or CO-R<sub>3</sub>,


R<sub>1</sub> is H or a hydrocarbon residue which has from 1 to 50 carbon atoms and which can contain heteroatoms,

R<sub>2</sub> is, on each occasion independently, a hydrocarbon residue having from 1 to 6 C atoms,

R<sub>3</sub> is OH or NR<sub>4</sub>R<sub>5</sub>,

R<sub>4</sub> and R<sub>5</sub> are, in each case independently, H or a hydrocarbon residue which can contain heteroatoms, where R<sub>4</sub> and R<sub>5</sub> can also together form a ring system,





in which

P is, on each occasion independently, H, OH, O-R<sub>2</sub> or CO-R<sub>3</sub>,

R<sub>1</sub> is H or a hydrocarbon residue which has from 1 to 50 carbon atoms and which can contain 5 heteroatoms,

R<sub>2</sub> is, on each occasion independently, a hydrocarbon residue having from 1 to 6 C atoms,

R<sub>3</sub> is OH or NR<sub>4</sub>R<sub>5</sub>,

R<sub>4</sub> and R<sub>5</sub> are, in each case independently, H or a hydrocarbon residue which can contain heteroatoms, where R<sub>4</sub> and R<sub>5</sub> can also together form a ring system,

n is, on each occasion independently, an integer of from 3 to 1000 and

x is, on each occasion, an integer of from 1 to 10, and

y is an integer of from 0 to 50, and

q is, on each occasion, 1.

7. (Currently Amended) A method for preparing a compound as claimed in ~~one of claims 1 to 6~~ claim 1, characterized in that the compounds of the formulae

X' - NH<sub>2</sub> (IV)


(W')<sub>2</sub>C=O (V)

Z' - NC (VI),

and

V' - COOH (VII)

are reacted with each other, as starting compounds, in a multicomponent reaction, where V', W', X' and Z' are, in each case independently of each other, a hydrocarbon residue which can optionally contain heteroatoms and/or V', W' and/or X' are hydrogen, where at least one of the residues V', W', X' and Z' carries a binding group Y and where the residues V', W', X' and Z' together possess at least two groups of the formula (II)



in which

P is, on each occasion independently, H, OH, O-R<sub>2</sub> or CO-R<sub>3</sub>,

R<sub>1</sub> is H or a hydrocarbon residue which has from 1 to 50 carbon atoms and which can contain heteroatoms,

R<sub>2</sub> is, on each occasion independently, a hydrocarbon residue having from 1 to 6 C atoms,

R<sub>3</sub> is OH or NR<sub>4</sub>R<sub>5</sub>,

R<sub>4</sub> and R<sub>5</sub> are, in each case independently, H or a hydrocarbon residue which can contain heteroatoms, where R<sub>4</sub> and R<sub>5</sub> can together also form a ring system,

n is, on each occasion independently, an integer of from 3 to 1000, and

x is, on each occasion, an integer of from 1 to 10, and

y is an integer of from 0 to 50, and

q is, on each occasion, 1.

8. (Original) The method as claimed in claim 7, characterized in that at least one of the residues V', W', X' and/or Z' contains at least one further functionality selected from NH<sub>2</sub>, C=O, NC and/or COOH.

9. (Currently Amended) A conjugate which comprises a compound of the formula (I), as defined in ~~one of claims 1 to 6~~ claim 1, which is covalently bonded to a biopharmaceutical, pharmaceutical and/or synthetic active compound.

10. (Currently Amended) A conjugate which comprises a compound of the formula (I), as defined in ~~one of claims 1 to 6~~ claim 1, which is covalently bonded to a surface and/or a biocatalyst.

11. (Currently Amended) A conjugate which comprises a compound of the formula (I), as defined in ~~one of claims 1 to 6~~ claim 1, which is covalently bonded to an enzyme.

12. (Currently Amended) A conjugate which comprises a compound of the formula (I), as defined in ~~one of claims 1 to 6~~ claim 1, which is covalently bonded to medicinal products or adjuvants for administering active compounds.

13. (Currently Amended) A pharmaceutical composition which comprises a compound as claimed in ~~one of claims 1 to 6~~ claim 1 or a conjugate as claimed in claim 9 or 11.

14. (Currently Amended) A diagnostic composition which comprises a compound as claimed in ~~one of claims 1 to 6~~ claim 1 or a conjugate as claimed in claim 9 or 10.

15. (Currently Amended) ~~The use of a conjugate as claimed in claim 9 for producing a~~ A pharmaceutical for treating cancer or coronary diseases, metabolic diseases, neuronal or cerebral diseases, e.g. Alzheimer's or Parkinson's, or inflammatory processes, e.g. infections, and immune or

autoimmune diseases, in particular rheumatoid arthritis, comprising the conjugate as claimed in claim 9.

16. (Original) A method for preparing a substance library, characterized in that at least two different compounds as claimed in claim 1 are prepared using the method as claimed in claim 7 or 8.

17. (Currently Amended) A substance library which comprises at least two different compounds of the formula (I), as defined in ~~one of claims 1 to 6~~ claim 1.

18. (Original) A kit which comprises

- (a) at least one compound as claimed in one of claims 1 to 6  
and also
- (b) buffer solutions and, where appropriate,
- (c) standard proteins and/or means for purifying conjugates which have been formed together with the compound from (a).

19. (New) A pharmaceutical composition comprising the conjugate as claimed in claim 9.

20. (New) A diagnostic composition comprising the conjugate as claimed in claim 9.